



PATENT
P56639

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

HYUN KIM

Serial No.: 10/082,360

Examiner: GIBBS, HEATHER D.

Filed: 26 February 2002

Art Unit: 2625

For: METHOD AND APPARATUS FOR CORRECTING SCANNING ERROR IN
FLATBED SCANNER

PETITION FOR EXTENSION OF TIME

Commissioner for Patents
P.O.Box 1450
Alexandria, VA 22313-1450

Sir:

Pursuant to 37 C.F.R. §1.136(a), please extend the time for responding to an Advisory Action (Paper No. 20070315) mailed on 19 March 2007 for one-month to and through 22 March 2007.

The one-month fee for Large Entity in the amount of **\$120.00** is enclosed. (Check No. 52286) Should any additional fees be required under 37 C.F.R. §1.16 or 37 C.F.R. §1.17, please charge them to our Deposit Account No. 02-4943 and advise us accordingly.

Also, should any additional time be required, please accept this as a petition for such additional extension of time and charge our Deposit Account No. 02-4943 and advise us accordingly.

Respectfully submitted,

Robert E. Bushnell
Attorney for Applicants
Reg. No.: 27,774

1522 "K" Street, N.W., Suite 300
Washington, D.C. 20005
Area Code: 202-408-9040

Folio: P56639
Date: 3/22/07
I.D.: REB/nm

03/23/2007 SZEWDIE1 00000039 10002360

02 FC:1251

120.00 0P